



Biosensing in Urban Areas

Dr. Tim Dasey
M.I.T. Lincoln Laboratory
(781) 981-1903; timd@LL.mit.edu

2003 New England Bioterrorism Preparedness Workshop

10 June 2003

This work was sponsored by the U.S. Air Force under Air Force Contract No. F19628-00-C-0002. Opinions, interpretations, conclusions and recommendations are those of the author and are not necessarily endorsed by the United States Government.

Approved for Public Release

Report Documentation Page			Form Approved OMB No. 0704-0188		
Public reporting burden for the collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to a penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.					
1. REPORT DATE 10 JUN 2003		2. REPORT TYPE N/A		3. DATES COVERED -	
4. TITLE AND SUBTITLE Biosensing in Urban Areas				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S)				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) MIT Lincoln Laboratory 244 Wood Street Lexington, MA 02420-9108				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release, distribution unlimited					
13. SUPPLEMENTARY NOTES See also ADM001576., The original document contains color images.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 15	19a. NAME OF RESPONSIBLE PERSON
a. REPORT unclassified	b. ABSTRACT unclassified	c. THIS PAGE unclassified			



Outline

- **Differences between military and civilian applications**
- **Value of biological sensors**
- **Sensing concepts of operation**
- **Trigger sensors**
 - **Value**
 - **Technical challenges**
- **MIT/LL urban measurement program**







Aerosol Sensing for Urban Civilian Protection vs. Military Force Protection

- **Tolerance for costly systems with frequent alerts or maintenance needs is much lower**
 - **System cost, particularly O&M costs, may be the biggest current implementation obstacle**
- **Population is not prepared to act quickly or rationally if warned of imminent or ongoing attack**
 - **Detect-to-warn is currently impractical**
- **Urban aerosols (or other media) can be much different than many military environments**
 - **Inhomogeneous aerosol distribution, many local interferent sources**
- **Few areas access controlled – releases can be made anywhere**



Delay Costs Lives



Variation of Gani and Leach disease progression model [Nature 414: 748-751, Dec., 2001]

- **Relative cost of delay is scenario dependent**
- **Response can often be delayed a few days with minimal impact as long as the people infected can be found well after the fact**
 - Not the case for transportation nodes
- **Health monitoring cannot bring the rapid attack recognition needed to minimize casualties**
 - Sensors (air, water, etc.) needed

* Over the first 120 days after attack



Sensing Challenges*

	Apply Treatment (Civilian, Military bases)	Prevent Exposure (Force Protection)
Indoor	Cost Latency Sensitivity	Cost Latency Sensitivity
Outdoor	Cost Latency Sensitivity	Cost Latency Sensitivity

Cost - \$ cost,
particularly for O&M

Latency – Available time
after release to detect
and take action

Sensitivity - Amount of
material needed to
achieve a reasonable
false positive rate

** This is an
oversimplified
representation intended
to demonstrate that
there are a variety of
technical solutions that
depend on the
environment and the
objectives.*

Larger text in table represents more stringent requirements



Candidate Environmental Monitoring Strategies – Current Maturity

- **Routine periodic sample collection and lab analysis**
 - Expensive
 - Too slow for some agent releases
- **Periodic sample collection or collection after device trigger, followed by lab analysis**
 - More timely but still expensive
- **Triggered sample collection and lab analysis**
 - Timely and less expensive if trigger rates can be kept low
 - Currently, trigger rates are too high and triggers are too insensitive for some applications
- **Triggered sample collection and automated analysis on site**
 - Limited production military systems (currently very expensive)
 - Still must be followed by some confirmatory lab analysis



Potential Response Actions

- **Modify HVAC operation**
 - **Consult other surveillance sources (e.g. cameras, foot patrols)**
 - **Collect additional samples for analysis**
 - **Evacuate**
 - **Alert public**
 - **Decontaminate**
- Reasonable actions
as a result of trigger
sensor alert
- Requires specific
and confirmed
identification
sensors






Use of Triggers to Reduce System Operating Costs

- **Trigger**
 - Reduces cost of identification step
 - Improves timeliness of additional testing and provides tentative warning
 - Sets the system sensitivity!
- **Candidate ConOps O&M cost estimates (\$K/yr/location/agent)**
 1. Auto identify every _ hour (\$10/test) = \$175K
 2. Identify 2 times/day in lab (\$30/test) = \$22K
 3. Identify in lab when triggered (\$30/test)
 - a. 10 triggers/day = \$110K
 - b. 1 trigger/week = **\$2K**



Potential Aerosol Constituents


-  No Urban sites
-  Some Urban Sites (examples given)
-  Most Urban Sites

Potential Particle Sources	Outdoor	Indoor
Fuel Combustion remnants		Airport, Buildings near highways
Cooking	Near kitchens	Near kitchens
Fungal spores		Subway Some buildings
Skin cells		
Human activity	Outdoor public gathering	Sporting Arena, Theater, Convention center
Machine activity		Subway
Man-made fibers (clothing, paper, carpet, etc)		Postal facility

- Particles can come from a variety of natural sources
- The indoor aerosol composition is different from outdoor
- The spatial and temporal frequency characteristics also differ



Outdoor Sensor Density Requirements*



High sensitivity is needed for wide area outdoor surveillance. Lower cost, less sensitive sensors may not decrease system costs unless detectability is sacrificed.

* Worst case estimates for a *B. anthracis* release are shown



MIT/LL Urban Testbed Project Goals

- **Initiated in Spring, 2001 to examine the unique aspects of urban biosensing**
- **Understand aerosol backgrounds and sensor responses**
 - Initial emphasis on triggers
- **Develop technology testbeds**
 - Test evolving technology in realistic settings
- **“System of Systems” approach**
 - Improve automated data interpretation
 - Algorithms, including sensor fusion
 - Develop system requirements
 - Understand responder needs
 - Low cost a priority
 - Engineer for improved maintainability



Examples of Urban Testbed Measurements

Sporting Arena

- **Measurements over 3 days**
 - Three different events
 - Air handler return, mixing box



- **Instruments**

- BAWS III
- MetOne 2408 particle counter
- PAH
- Aethalometer
- VOC
- CO2
- HVAC filter sample
- Viable/nonviable fungi
- Mycelial fragments
- Air velocity
- Damper settings
- Temperature, humidity


Triggers

Potential
Interferents

Operations
Data

Airport

- **2 terminal air handlers over 4 days**



- **Instrument data available to MIT/LL**

- BAWS III
- MetOne 2408 particle counter
- PAH
- HVAC filter, electrostatic collector samples (PCR interference analysis)
- Viable/nonviable fungi
- Mycelial fragments
- Damper settings
- Air traffic operations

Measurements are to understand cause/effect as well as assess trigger performance



Recent MIT/LL Background Measurement Locations

Metro Boston

- Subway
- Major public events
- Hospital
- Postal sorting facility
- Office buildings
- Bus station

Long-term measurements

Across U.S.

- International airport
- Sporting arena
- Salt Lake City
- Military installations

Field data are essential to finding problems and developing solutions



Example Sensing Strategies

- **Subway**

- Large area to cover; many sensors are needed
- High background levels relative to other settings
- Particulate levels driven by train function
- Air motion affected by outside weather

Strategy:

- Inexpensive sensors
- Fuse together with information about train movements and air flows
- Engineer to keep optical devices clean

- **Sporting Arena**

- Few zones
- Aerosol composition widely varied depending on event

Strategy:

- Willing to use more expensive but more discriminating sensors
- May need to use a few different types of sensors to keep high sensitivity

- **Office Building**

- Many air handling zones; air handlers may be near one another
- More consistent day-to-day background composition and flows

Strategy:

- Use inexpensive sensors or multiplex more expensive sensors
- Use sensor fusion techniques to improve sensing performance within or between zones



Conclusions

- **Cost is the most stringent requirement for civilian protection systems**
 - Triggers with low trigger rates can reduce operating costs
- **Unique characteristics of facilities lead to different sensing designs**
- **Biotrigger devices can reduce cost, but**
 - False positive rate of sensors must be low
 - Sensitivity must be high for outdoor use